



TOOLS & EQUIPMENT FOR THE PROFESSIONAL



RETAIL
PRICE LIST 2026

OUR STORY



**2 MILLION
SQUARE FEET
MANUFACTURING AREA**



**07
PLANTS**




**INDIA'S LARGEST
TOOLS MANUFACTURER**

**SALES
NETWORK**  **85
COUNTRIES**



**4000
WORKFORCE**





Quality Assurance Statement

The satisfaction of all customers is the fundamental principle of the GROZ corporate philosophy

GROZ stands committed to the quality of its products and service with the assurance of complete back-up support

With a wide range of products, prompt service and vast experience, GROZ remains dedicated to the customer



	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
STRIKING TOOLS						
	FIBREGLASS HANDLE SLEDGE HAMMERS					
	SHORT HANDLE					
	SHFG/2.5/16	Head weight : 1.1 Kg (2.5 lbs) Overall length : 16" (400 mm)	82052000	18%	1,726.00	8
	SHFG/4/16	Head weight : 1.8 Kg (4 lbs) Overall length : 16" (400 mm)	82052000	18%	1,825.00	8
	LONG HANDLE					
	SHFG/6/36	Head weight : 2.7 Kg (6 lbs) Overall length : 36" (900 mm)	82052000	18%	2,822.00	4
	SHFG/8/36	Head weight : 3.6 Kg (8 lbs) Overall length : 36" (900 mm)	82052000	18%	3,298.00	4
	SHFG/10/36	Head weight : 4.5 Kg (10 lbs) Overall length : 36" (900 mm)	82052000	18%	3,748.00	4
	SHFG/12/36	Head weight : 5.5 Kg (12 lbs) Overall length : 36" (900 mm)	82052000	18%	4,348.00	2
	SHFG/14/36	Head weight : 6.3 Kg (14 lbs) Overall length : 36" (900 mm)	82052000	18%	4,748.00	2
	SHFG/16/36	Head weight : 7.3 Kg (16 lbs) Overall length : 36" (900 mm)	82052000	18%	7,342.00	2
	FIBREGLASS HANDLE BALL PEIN HAMMERS					
	BPFG/4/11	Head weight : 113 gms (4 lbs) Overall length : 11" (275 mm)	82052000	18%	698.00	10
	BPFG/8/12	Head weight : 226 gms (8 lbs) Overall length : 12" (300 mm)	82052000	18%	878.00	10
	BPFG/12/13	Head weight : 340 gms (12 lbs) Overall length : 13" (330 mm)	82052000	18%	988.00	10
	BPFG/16/13	Head weight : 450 gms (16 lbs) Overall length : 13" (330 mm)	82052000	18%	1,098.00	10
	BPFG/24/14	Head weight : 680 gms (24 lbs) Overall length : 14" (350 mm)	82052000	18%	1,148.00	10
	BPFG/32/14	Head weight : 900 gms (32 lbs) Overall length : 14" (350 mm)	82052000	18%	1,228.00	10
	BPFG/40/16	Head weight : 1134 gms (40 lbs) Overall length : 16" (400 mm)	82052000	18%	1,698.00	10
	BPFG/48/16	Head weight : 1360 gms (48 lbs) Overall length : 16" (400 mm)	82052000	18%	2,088.00	10
	FIBREGLASS HANDLE DRILLING HAMMERS					
	DHFG/2/11	Head size : 900 gms (2 lbs) Overall length : 11" (280 mm)	82052000	18%	1,294.00	8
	DHFG/3/11	Head weight : 1300 gms (3 lbs) Overall length : 11" (280 mm)	82052000	18%	1,618.00	8
	FIBREGLASS HANDLE ENGINEER'S HAMMERS					
	EHFG/2.5/14	Head size : 1.1 Kg (2.5 lbs) Overall length : 14" (350 mm)	82052000	18%	1,594.00	8
	EHFG/4/14	Head size : 1.8 Kg (4 lbs) Overall length : 14" (350 mm)	82052000	18%	1,978.00	8
	FIBREGLASS HANDLE BLACKSMITH'S / CROSS PEIN HAMMERS					
	BHFG/2.5/14	Head size : 1.1 Kg (2.5 lbs) Overall length : 14" (350 mm)	82052000	18%	1,565.00	8
	BHFG/4/14	Head size : 1.8 Kg (4 lbs) Overall length : 14" (350 mm)	82052000	18%	2,078.00	8

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	FIBREGLASS HANDLE - CLAW HAMMER					
	CLFG/16/13	Head weight : 450 gms (16 oz.) Overall length : 13" (330 mm)	82052000	18%	1,428.00	12
	FIBREGLASS HANDLE - DEAD BLOW HAMMERS					
	DBFG/28/12/UU	Weight : 793 gms (28 lbs) Faces : 2 x Polyurethane	82052000	18%	2,398.00	8
	DBFG/45/13/UU	Weight : 1275 gms (45 lbs) FFaces : 2 x Polyurethane	82052000	18%	2,998.00	8
	FIBREGLASS HANDLE - RUBBER MALLET					
	MLTR/16B/FG	Head size : 453 gms (16 oz.) Head colour : Black	82052000	18%	788.00	12
	MLTR/16W/FG	Head size : 453 gms (16 oz.) Head colour : White	82052000	18%	885.00	12
	MLTR/20B/FG	Head size : 567 gms (20 oz.) Head colour : Black	82052000	18%	842.00	12
	MLTR/20W/FG	Head size : 567 gms (20 oz.) Head colour : White	82052000	18%	971.00	12
	FIBREGLASS HANDLE - AXES					
	AXE/FG/1.25/14	Head weight : 0.5 Kg (1.25 lbs) Overall length : 14" (350 mm)	82052000	18%	2,309.00	8
	AXE/FG/4/36	Head weight : 1.8 Kg (4 lbs) Overall length : 36" (900 mm)	82052000	18%	4,934.00	4
	NAIL PUNCHES CUSHION GRIP					
	NLP/G/1-32	Tip diameter : 1/32" (0.80 mm) Colour : Black	82073000	18%	127.00	200
	NLP/G/1-16	Tip diameter : 1/16" (1.6 mm) Colour : Grey	82073000	18%	127.00	200
	NLP/G/3-32	Tip diameter : 3/32" (2.4 mm) Colour : Green	82073000	18%	127.00	200
	NLP/G/1-8	Tip diameter : 1/8" (3 mm) Colour : Orange	82073000	18%	127.00	200
	Sets					
	NLP/G/3A/ST	Contents Tip diameter : 1/32" (0.80 mm) : 1/16" (1.6 mm) : 3/32" (2.4 mm)	82073000	18%	426.00	200
	NLP/G/3B/ST	Contents Tip diameter : 1/16" (1.6 mm) : 3/32" (2.4 mm) : 1/8" (3 mm)	82073000	18%	426.00	200


TOOL STORAGE & ASSORTMENTS

	27 INCH ROLLING TOOL CABINETS - S10D SERIES						NEW!
	RTC/27-10D/1/GRZ	7 Drawers Trolley weight : 48 Kg Drawer Capacity : 25 Kg Load Capacity : 300 Kg Dimensions (Inch) : 27 x 18-25/64 x 40 (MM) : 680 x 467 x 1000	73102990	18%	32,998.00	1	
	RTC/27-10D/2/GRZ	5 Drawers Trolley weight : 43 Kg Drawer Capacity : 25 Kg Load Capacity : 300 Kg Dimensions (Inch) : 27 x 18-25/64 x 40 (MM) : 680 x 467 x 1000	73102990	18%	30,193.00	1	

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.	
	11" MINI TOOL BOX WITH LID Features two drawers and a top compartment with lid that opens at 90° Dimensions (Inch) : 10-5/8 x 5-29/32 x 6-7/64 (MM) : 270 x 150 x 155 Load Capacity : 4.5 Kg						NEW!
	TCHL/11-10D/1/BL/GRZ	Colour : Classic Black	73269070	18%	4,198.00	4	
	TCHL/11-10D/1/WI/GRZ	Colour : Cool Grey	73269070	18%	4,198.00	4	
	TCHL/11-10D/1/BU19/GRZ	Colour : Bossy Blue	73269070	18%	4,198.00	4	
	TCHL/11-10D/1/RD/GRZ	Colour : Fiery Red	73269070	18%	4,198.00	4	
	TCHL/11-10D/1/OR12/GRZ	Colour : Royal Purple	73269070	18%	4,198.00	4	
	TCHL/11-10D/1/GN16/GRZ	Colour : Aqua Lux	73269070	18%	4,198.00	4	
	TCHL/11-10D/1/OR/GRZ	Colour : Vibrant Orange	73269070	18%	4,198.00	4	
	5 TRAY CANTILEVER TOOL BOX						
	MTB/5	5 tray cantilever tool box Dim. : 440 x 200 x 200 mm Load Capacity : 35 Kg	73102990	18%	5,033.00	1	
		MTB/5T	5 tray cantilever tool box with Trolley Dim. : 440 x 200 x 200 mm Load Capacity : 35 Kg	73102990	18%	6,835.00	1
			BDL/MTB/5	Spare Trolley for MTB/5 Tool Box	84671900	18%	2,381.00
TOOL CART ACCESSORIES - MAGNETIC						NEW!	
	MCH/1	Magnetic Can Holder	84671900	18%	1,888.00	10	
		MHK/1	Magnetic Hooks	84671900	18%	808.00	10
		MPT/1	Magnetic Power & Air Tools Holder	84671900	18%	3,147.00	5

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
NYLON TOOL BAGS						
	NTB/1	Size : Large Load capacity : 30 Kg (66 lbs) Dimension (Inch) : 16.5 x 10.2 x 11.8 (MM) : 420 x 260 x 300	82055920	18%	2,842.00	1
	NTB/2	Size : X Large Load capacity : 60 Kg (132 lbs) Dimension (Inch) : 17.9 x 11.0 x 11.8 (MM) : 455 x 280 x 300	82055920	18%	3,388.00	1
	NTB/3	Size : Medium Load capacity : 10 Kg (22 lbs) Dimension (Inch) : 12 x 9 x 5.5 (MM) : 300 x 225 x 140	82055920	18%	1,785.00	1
	NTB/4	Size : Medium (Backpack) Load capacity : 10 Kg (22 lbs) Dimension (Inch) : 19.2 x 13.7 x 16.9 (MM) : 490 x 350 x 430	82055920	18%	3,759.00	1
TORQUE EXTENSION BARS - 10 PIECE KIT						NEW!
	TQE/1-2/ST10	Drive Size : 1/2" Max Torque : 90 Nm Overall Length : 7-11/16" (195 mm)	82041120	18%	7,348.00	1
AUTOMOTIVE TOOLS & ACCESSORIES						
STRAP WRENCHES						
	STW/12G	Aluminium I-beam handle with non-marring nylon belt Handle Length: 12" (300 mm) For objects with dia: 7" (175 mm)	82041120	18%	1,136.00	10
	STW/18G	Aluminium I-beam handle with non-marring nylon belt Handle Length: 18" (450 mm) For objects with dia: 7" (175 mm)	82041220	18%	3,975.00	10
TYRE LEVERS						
	TLVR/16	Length : 16" (400 mm)	82032000	18%	479.00	10
	TLVR/21	Length : 21" (530 mm)	82032000	18%	638.00	10
	TLVR/24	Length : 24" (600 mm)	82032000	18%	719.00	10
5" POCKET PRY BAR SET - 3 PC						NEW!
	MPRY/3/ST	Includes: • Straight Pry Bar • Angled Pry Bar 27° • Angled Pry Bar 55° Manufactured from high tensile 3/16" diameter alloy steel	82055920	18%	398.00	20

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	13 PC AUTOMOTIVE MAINTENANCE TOOL KIT NEW!					
	MPRY/13/ST	Includes: • 1/4" Hex Nut Driver: Easily interchange attachments as per need • 7 Screwdriver bits are made of S2 Steel • 5 Prying tools are made of Spring Steel with Chrome Plating	82060010	18%	5,998.00	20
	MAGNETIC DRAIN PLUG REMOVAL TOOL NEW!					
	MDR/6	6" flexible shaft allows the tool to be used in difficult to reach locations and positions while still being capable of threading and unthreading the drain plug Strong magnet sticks to the drain plug firmly.	84671900	18%	5,48.00	10
	HYDRAULIC BOTTLE JACKS Welded construction for leak-proof performance 50% safety overload factor Forged Steel base for better stability Comes with 'Load Limiting Device'					
	JACK/BT/2W	Capacity : 2 Ton Lift Range : 175-339 mm	84254200	18%	2,735.00	1
	JACK/BT/4W	Capacity : 4 Ton Lift Range : 190-368 mm	84254200	18%	3,243.00	1
	JACK/BT/12W	Capacity : 12 Ton Lift Range : 230-465 mm	84254200	18%	5,664.00	1
	HYDRAULIC FLOOR JACK Heavy duty steel body with 2 piece steel handle Quick jump start to reach lifting point Built in safety valve protect against overloading					
	JACK/FL/3D	Capacity : 3 Ton Lift Range : 133-465 mm Weight : 33 Kg	84254200	18%	2,3247.00	1
HEXAGON KEY SETS						
	S2 STEEL CONSTRUCTION Hardness : 50 - 52 HRC					
	ALN/HX-BL/7L/GRZ	7 pc Set, Long - Ball End Metric : 2.5 mm - 10 mm	82041120	18%	1,582.00	10
	ALN/HX-BL/7L/SAE/GRZ	7 pcs Set Long - Ball End Imperial : 3/32" - 3/8"	82041120	18%	1,643.00	10

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	ALN/HX-BL/9EL/GRZ	9 pcs Set Extra Long - Ball End Metric: 1.5 mm - 10 mm	82041120	18%	1,773.00	10
	ALN/TX-TX/9L/GRZ	9 pcs Set Long - Torx Star T10 - T50	82041120	18%	2,181.00	10
CHROME VANADIUM CONSTRUCTION Hardness : 50 - 52 HRC  						
	ALN/HX-HX/8/GRZ	8 pcs Hex Key Set Metric : 1.5 mm - 6 mm	82041120	18%	447.00	10
	ALN/HX-HX/10/GRZ	10 pcs Hex Key Set Metric : 1.5 mm - 10 mm	82041120	18%	423.00	10
	ALN/HX-HX/10/SAE/GRZ	10 pcs Hex Key Set Imperial : 1/16" - 3/8"	82041120	18%	420.00	10
	ALN/HX-HX/25/GRZ	25 pcs Hex Key Set - Metric & Imperial 13 pcs Metric : 1.5 mm - 10 mm 12 pcs Imperial : 1/16" - 3/8"	82041120	18%	1,276.00	10
	ALN/HX-HX/7/GRZ	7 pcs Hex Key Set Metric : 2.5 mm - 10 mm	82041120	18%	879.00	10
	ALN/TX-TX/8/GRZ	8 Pc Tamper Torx Key Set T9 - T40	82041120	18%	821.00	10

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
--	---------	--------------------	----------	----------	---------	------

SCREWDRIVERS & HEX KEYS

	7 PC VDE SCREWDRIVER SET Suitable for live wire working   					
	SCDR/VDE/7/ST	Slotted : 6.5 x 150 mm, 5.5 x 125mm, 4 x 100mm, 3 x 100mm Phillip : PH1 x 80mm, PH2 x 100mm Voltage Tester: VT 110-250	82054000	18%	2,439.00	5
	VT/110-250	110V - 230V Single Pole Voltage Tester	90241000	18%	332.00	10

SPANNERS & PLIERS

	REVERSIBLE RATCHETING COMBINATION SPANNERS 72 teeth with 5° action arc for smooth movement Ratcheting ring feature for increase working speed, eliminating the need to remove spanner after each turn 					
	CSP/RRT/8/UG	8 mm	82041110	18%	1,187.00	5
	CSP/RRT/10/UG	10 mm	82041110	18%	1,205.00	5
	CSP/RRT/12/UG	12 mm	82041110	18%	1,335.00	5
	CSP/RRT/13/UG	13 mm	82041110	18%	1,404.00	5
	CSP/RRT/14/UG	14 mm	82041110	18%	1,502.00	5
	CSP/RRT/17/UG	17 mm	82041110	18%	1,836.00	5
	CSP/RRT/19/UG	19 mm	82041110	18%	2,170.00	5
	CSS/RRT/7ST/UG	7 pcs Spanners Set, Size: 8, 10, 12, 13, 14, 17, 19 mm	82041110	18%	1,2935.00	1
	RING SPANNERS Chrome Vanadium construction Hardness : 42 - 48 HRC  					
	RSP/SF/6-7/S	6 x 7 mm	82041110	18%	128.00	10
	RSP/SF/8-9/S	8 x 9 mm	82041110	18%	138.00	10
	RSP/SF/10-11/S	10 x 11 mm	82041110	18%	158.00	10
	RSP/SF/12-13/S	12 x 13 mm	82041110	18%	179.00	10
	RSP/SF/14-15/S	14 x 15 mm	82041110	18%	221.00	10
	RSP/SF/16-17/S	16 x 17 mm	82041110	18%	285.00	10
	RSP/SF/18-19/S	18 x 19 mm	82041110	18%	338.00	10
	RSP/SF/20-22/S	20 x 22 mm	82041110	18%	430.00	5
	RSP/SF/21-23/S	21 x 23 mm	82041110	18%	494.00	5
	RSP/SF/24-27/S	24 x 27 mm	82041110	18%	596.00	5
	RSP/SF/25-28/S	25 x 28 mm	82041110	18%	684.00	5
	RSP/SF/30-32/S	30 x 32 mm	82041110	18%	917.00	5
	RSS/SF/12/ST	12 pc Metric Set: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28, 30 x 32 mm	82041110	18%	4,752.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	DOUBLE OPEN END SPANNERS Chrome Vanadium construction Hardness : 44 - 48 HRC					 DIN 3110
	DOSP/SF/6-7/S	6 × 7 mm	82041110	18%	84.00	10
	DOSP/SF/8-9/S	8 × 9 mm	82041110	18%	93.00	10
	DOSP/SF/10-11/S	10 × 11 mm	82041110	18%	101.00	10
	DOSP/SF/12-13/S	12 × 13 mm	82041110	18%	120.00	10
	DOSP/SF/14-15/S	14 × 15 mm	82041110	18%	145.00	10
	DOSP/SF/16-17/S	16 × 17 mm	82041110	18%	221.00	10
	DOSP/SF/18-19/S	18 × 19 mm	82041110	18%	262.00	10
	DOSP/SF/20-22/S	20 × 22 mm	82041110	18%	272.00	10
	DOSP/SF/21-23/S	21 × 23 mm	82041110	18%	341.00	10
	DOSP/SF/24-27/S	24 × 27 mm	82041110	18%	413.00	10
	DOSP/SF/25-28/S	25 × 28 mm	82041110	18%	496.00	10
	DOSP/SF/30-32/S	30 × 32 mm	82041110	18%	600.00	10
	DOSS/SF/12/ST	12 pc Metric Set: 6 × 7, 8 × 9, 10 × 11, 12 × 13, 14 × 15, 16 × 17, 18 × 19, 20 × 22, 21 × 23, 24 × 27, 25 × 28, 30 × 32 mm	82041110	18%	3,278.00	1
	INSULATION PLIERS Chrome Vanadium construction Hardness : 35 - 50 HRC					
	COMBINATION PLIERS					
	CPL/CV/6#1	Length : 6" (150 mm)	82032000	18%	516.00	72
	CPL/CV/7#1	Length : 7" (175 mm)	82032000	18%	571.00	72
	LONG NOSE PLIERS					
	LNP/CV/6#1	Length : 6" (150 mm)	82032000	18%	486.00	72
	LNP/CV/7#1	Length : 7" (175 mm)	82032000	18%	538.00	72
	LNP/CV/8#1	Length : 8" (200 mm)	82032000	18%	582.00	72
	SIDE CUTTING PLIERS					
	SCP/CV/6#1	Length : 6" (150 mm)	82032000	18%	486.00	72
	SCP/CV/7#1	Length : 7" (175 mm)	82032000	18%	538.00	72
	CIRCLIP PLIERS Chrome Vanadium construction Hardness : 40 - 45 HRC					
	CLP/ST/E/150	Length: 150 mm, External Straight	82032000	18%	455.00	54
	CLP/ST/E/175	Length: 175 mm, External Straight	82032000	18%	467.00	54
	CLP/ST/I/150	Length: 150 mm, Internal Straight	82032000	18%	455.00	54
	CLP/ST/I/175	Length: 175 mm, Internal Straight	82032000	18%	467.00	54
	CLP/BND/E/150	Length: 150 mm, External Bent	82032000	18%	455.00	54
	CLP/BND/E/175	Length: 175 mm, External Bent	82032000	18%	467.00	54
	CLP/BND/I/150	Length: 150 mm, Internal Bent	82032000	18%	455.00	54
	ADJUSTABLE WRENCHES Chrome Vanadium construction Hardness : 38 - 46 HRC					
	AWR/CV/6	Length: 6" (150 mm)	82032000	18%	447.00	12
	AWR/CV/8	Length: 8" (200 mm)	82032000	18%	490.00	10
	AWR/CV/10	Length: 10" (250 mm)	82032000	18%	742.00	10
	AWR/CV/12	Length: 12" (300 mm)	82032000	18%	977.00	10

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	TELESCOPIC WHEEL WRENCH					
	WW/TP/17-23/ST	Designed to loosen out and remove wheel nuts Telescopic handle extends from 14" (350 mm) to 22" (550 mm) Comes with two 1/2" square drive dual side sockets, 17x19 mm & 21x23 mm	82041210	18%	2,264.00	12

SOCKETS & SOCKET ACCESSORIES

HAND SOCKETS

Chrome Vanadium construction with rust-proof and scratch-proof Ultra Premium finish
'Super Grip' profile: For firm grip with enhanced engagement and transmission of higher torque
Knurled band for non-slip grip



**DIN
3120**


**ISO
3315**

	1/4" HEX SOCKETS						
	SKT/H/1-4/4/UG	4 mm	82041220	18%	73.00	10	
	SKT/H/1-4/4.5/UG	4.5 mm	82041220	18%	73.00	10	
	SKT/H/1-4/5/UG	5 mm	82041220	18%	73.00	10	
	SKT/H/1-4/5.5/UG	5.5 mm	82041220	18%	73.00	10	
	SKT/H/1-4/6/UG	6 mm	82041220	18%	73.00	10	
	SKT/H/1-4/7/UG	7 mm	82041220	18%	73.00	10	
	SKT/H/1-4/8/UG	8 mm	82041220	18%	73.00	10	
	SKT/H/1-4/9/UG	9 mm	82041220	18%	73.00	10	
	SKT/H/1-4/10/UG	10 mm	82041220	18%	73.00	10	
	SKT/H/1-4/11/UG	11 mm	82041220	18%	73.00	10	
	SKT/H/1-4/12/UG	12 mm	82041220	18%	81.00	10	
	SKT/H/1-4/13/UG	13 mm	82041220	18%	84.00	10	
	SKT/H/1-4/14/UG	14 mm	82041220	18%	104.00	10	
	1/4" HEX SOCKETS - DEEP						
	SKT/H/1-4/5D/UG	5 mm	82041220	18%	137.00	10	
	SKT/H/1-4/6D/UG	6 mm	82041220	18%	137.00	10	
	SKT/H/1-4/7D/UG	7 mm	82041220	18%	137.00	10	
	SKT/H/1-4/8D/UG	8 mm	82041220	18%	137.00	10	
	SKT/H/1-4/9D/UG	9 mm	82041220	18%	137.00	10	
	SKT/H/1-4/10D/UG	10 mm	82041220	18%	160.00	10	
	SKT/H/1-4/11D/UG	11 mm	82041220	18%	184.00	10	
	SKT/H/1-4/12D/UG	12 mm	82041220	18%	202.00	10	
	SKT/H/1-4/13D/UG	13 mm	82041220	18%	200.00	10	
	1/4" POZI BIT SOCKETS						
	SKT/1-4/PZ1/UG	PZ1	82041220	18%	117.00	10	
	SKT/1-4/PZ2/UG	PZ2	82041220	18%	117.00	10	
	SKT/1-4/PZ3/UG	PZ3	82041220	18%	117.00	10	

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	1/4" HEX BIT SOCKETS					
	SKT/1-4/H3/UG	H3	82041220	18%	117.00	10
	SKT/1-4/H4/UG	H4	82041220	18%	117.00	10
	SKT/1-4/H5/UG	H5	82041220	18%	117.00	10
	SKT/1-4/H6/UG	H6	82041220	18%	117.00	10
	SKT/1-4/H7/UG	H7	82041220	18%	125.00	10
	SKT/1-4/H8/UG	H8	82041220	18%	125.00	10
	SKT/1-4/H10/UG	H10	82041220	18%	150.00	10
	1/4" TORX BIT SOCKETS					
	SKT/1-4/T8/UG	T8	82041220	18%	117.00	10
	SKT/1-4/T10/UG	T10	82041220	18%	117.00	10
	SKT/1-4/T15/UG	T15	82041220	18%	117.00	10
	SKT/1-4/T20/UG	T20	82041220	18%	117.00	10
	SKT/1-4/T25/UG	T25	82041220	18%	117.00	10
	SKT/1-4/T27/UG	T27	82041220	18%	129.00	10
	SKT/1-4/T30/UG	T30	82041220	18%	117.00	10
	SKT/1-4/T40/UG	T40	82041220	18%	117.00	10
	1/4" SLOTTED BIT SOCKETS					
	SKT/1-4/S4/UG	4 mm	82041220	18%	117.00	10
	SKT/1-4/S5.5/UG	5.5 mm	82041220	18%	117.00	10
	SKT/1-4/S7/UG	7 mm	82041220	18%	117.00	10
	1/4" PHILLIPS BIT SOCKETS					
	SKT/1-4/PH1/UG	PH1	82041220	18%	117.00	10
	SKT/1-4/PH2/UG	PH2	82041220	18%	117.00	10
	SKT/1-4/PH3/UG	PH3	82041220	18%	117.00	10
	3/8" HEX SOCKETS					
	SKT/H/3-8/6/UG	6 mm	82041220	18%	86.00	15
	SKT/H/3-8/7/UG	7 mm	82041220	18%	84.00	15
	SKT/H/3-8/8/UG	8 mm	82041220	18%	84.00	15
	SKT/H/3-8/9/UG	9 mm	82041220	18%	84.00	15
	SKT/H/3-8/10/UG	10 mm	82041220	18%	84.00	15
	SKT/H/3-8/11/UG	11 mm	82041220	18%	84.00	15
	SKT/H/3-8/12/UG	12 mm	82041220	18%	97.00	15
	SKT/H/3-8/13/UG	13 mm	82041220	18%	102.00	15
	SKT/H/3-8/14/UG	14 mm	82041220	18%	113.00	15
	SKT/H/3-8/15/UG	15 mm	82041220	18%	120.00	12
	SKT/H/3-8/16/UG	16 mm	82041220	18%	120.00	12
	SKT/H/3-8/17/UG	17 mm	82041220	18%	132.00	10
	SKT/H/3-8/18/UG	18 mm	82041220	18%	159.00	10
	SKT/H/3-8/19/UG	19 mm	82041220	18%	159.00	10
	SKT/H/3-8/20/UG	20 mm	82041220	18%	167.00	8
	SKT/H/3-8/21/UG	21 mm	82041220	18%	167.00	8
	SKT/H/3-8/22/UG	22 mm	82041220	18%	182.00	6

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	1/2" HEX SOCKETS					
	SKT/H/1-2/8/UG	8 mm	82041220	18%	128.00	15
	SKT/H/1-2/9/UG	9 mm	82041220	18%	126.00	15
	SKT/H/1-2/10/UG	10 mm	82041220	18%	126.00	15
	SKT/H/1-2/11/UG	11 mm	82041220	18%	126.00	15
	SKT/H/1-2/12/UG	12 mm	82041220	18%	132.00	15
	SKT/H/1-2/13/UG	13 mm	82041220	18%	132.00	15
	SKT/H/1-2/14/UG	14 mm	82041220	18%	132.00	15
	SKT/H/1-2/15/UG	15 mm	82041220	18%	132.00	12
	SKT/H/1-2/16/UG	16 mm	82041220	18%	132.00	12
	SKT/H/1-2/17/UG	17 mm	82041220	18%	142.00	10
	SKT/H/1-2/18/UG	18 mm	82041220	18%	145.00	10
	SKT/H/1-2/19/UG	19 mm	82041220	18%	145.00	10
	SKT/H/1-2/20/UG	20 mm	82041220	18%	178.00	8
	SKT/H/1-2/21/UG	21 mm	82041220	18%	178.00	6
	SKT/H/1-2/22/UG	22 mm	82041220	18%	200.00	6
	SKT/H/1-2/23/UG	23 mm	82041220	18%	204.00	6
	SKT/H/1-2/24/UG	24 mm	82041220	18%	212.00	6
	SKT/H/1-2/25/UG	25 mm	82041220	18%	257.00	6
	SKT/H/1-2/26/UG	26 mm	82041220	18%	277.00	4
	SKT/H/1-2/27/UG	27 mm	82041220	18%	285.00	4
	SKT/H/1-2/28/UG	28 mm	82041220	18%	333.00	4
	SKT/H/1-2/29/UG	29 mm	82041220	18%	335.00	4
	SKT/H/1-2/30/UG	30 mm	82041220	18%	346.00	4
	SKT/H/1-2/32/UG	32 mm	82041220	18%	374.00	4
	SKT/H/1-2/33/UG	33 mm	82041220	18%	674.00	2
	SKT/H/1-2/36/UG	36 mm	82041220	18%	1,040.00	2
	1/2" HEX SOCKETS - DEEP					
	SKT/H/1-2/10D/UG	10 mm	82041220	18%	305.00	15
	SKT/H/1-2/11D/UG	11 mm	82041220	18%	305.00	15
	SKT/H/1-2/12D/UG	12 mm	82041220	18%	305.00	15
	SKT/H/1-2/13D/UG	13 mm	82041220	18%	305.00	15
	SKT/H/1-2/14D/UG	14 mm	82041220	18%	305.00	15
	SKT/H/1-2/15D/UG	15 mm	82041220	18%	315.00	12
	SKT/H/1-2/16D/UG	16 mm	82041220	18%	315.00	12
	SKT/H/1-2/17D/UG	17 mm	82041220	18%	315.00	10
	SKT/H/1-2/18D/UG	18 mm	82041220	18%	338.00	10
	SKT/H/1-2/19D/UG	19 mm	82041220	18%	338.00	10
	SKT/H/1-2/20D/UG	20 mm	82041220	18%	358.00	8
	SKT/H/1-2/21D/UG	21 mm	82041220	18%	358.00	8
	SKT/H/1-2/22D/UG	22 mm	82041220	18%	407.00	6
	SKT/H/1-2/23D/UG	23 mm	82041220	18%	515.00	6
	SKT/H/1-2/24D/UG	24 mm	82041220	18%	444.00	6
	SKT/H/1-2/26D/UG	26 mm	82041220	18%	714.00	6
	SKT/H/1-2/27D/UG	27 mm	82041220	18%	567.00	6
	SKT/H/1-2/28D/UG	28 mm	82041220	18%	822.00	4
	SKT/H/1-2/29D/UG	29 mm	82041220	18%	830.00	4
	SKT/H/1-2/30D/UG	30 mm	82041220	18%	713.00	4
	SKT/H/1-2/32D/UG	32 mm	82041220	18%	766.00	4

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	3/4" HEX SOCKETS					
	SKT/H/3-4/22/MT	22 mm	82041220	18%	621.00	6
	SKT/H/3-4/24/MT	24 mm	82041220	18%	621.00	6
	SKT/H/3-4/27/MT	27 mm	82041220	18%	644.00	6
	SKT/H/3-4/28/MT	28 mm	82041220	18%	720.00	6
	SKT/H/3-4/30/MT	30 mm	82041220	18%	733.00	4
	SKT/H/3-4/32/MT	32 mm	82041220	18%	828.00	4
	SKT/H/3-4/36/MT	36 mm	82041220	18%	1,129.00	4
	SKT/H/3-4/38/MT	38 mm	82041220	18%	1,196.00	4
	SKT/H/3-4/41/MT	41 mm	82041220	18%	1,313.00	4
	SKT/H/3-4/46/MT	46 mm	82041220	18%	1,705.00	4
	SKT/H/3-4/50/MT	50 mm	82041220	18%	1,669.00	2
	1" HEX SOCKETS					
	SKT/H/0-1/36/MT	36 mm	82041220	18%	1,595.00	4
	SKT/H/0-1/41/MT	41 mm	82041220	18%	1,747.00	4
	SKT/H/0-1/46/MT	46 mm	82041220	18%	2,065.00	4
	SKT/H/0-1/50/MT	50 mm	82041220	18%	2,354.00	2
	SKT/H/0-1/55/MT	55 mm	82041220	18%	2,961.00	2
	SKT/H/0-1/60/MT	60 mm	82041220	18%	3,189.00	2
	SKT/H/0-1/65/MT	65 mm	82041220	18%	3,757.00	1
	SKT/H/0-1/70/MT	70 mm	82041220	18%	6,461.00	1
	SKT/H/0-1/75/MT	75 mm	82041220	18%	6,611.00	1
	SKT/H/0-1/80/MT	80 mm	82041220	18%	6,814.00	1
SOCKET ACCESSORIES						
	SLIDING T BARS					
	SLTB/1-4/UG	1/4" Drive, Length: 4-1/2" (115 mm)	82041210	18%	257.00	10
	SLTB/3-8/UG	3/8" Drive, Length: 6-1/2" (165 mm)	82041210	18%	531.00	10
	SLTB/1-2/UG	1/2" Drive, Length: 10" (250 mm)	82041210	18%	713.00	5
	SLTB/3-4/MT	3/4" Drive, Length: 18" (450 mm)	82041210	18%	2,823.00	1
	SLTB/0-1/MT	1" Drive, Length: 22" (550 mm)	82041210	18%	7,062.00	1
	EXTENSION BARS					
	DRXB/1-4/2/UG	1/4" Drive , Length: 2" (50 mm)	82055920	18%	119.00	10
	DRXB/1-4/4/UG	1/4" Drive , Length: 4" (100 mm)	82055920	18%	165.00	10
	DRXB/1-4/6/UG	3/8" Drive , Length: 6" (150 mm)	82041220	18%	179.00	10
	DRXB/3-8/3/UG	3/8" Drive , Length: 3" (75 mm)	82055920	18%	219.00	5
	DRXB/3-8/6/UG	3/8" Drive , Length: 6" (150 mm)	82055920	18%	295.00	5
	DRXB/1-2/5/UG	1/2" Drive , Length: 5" (125 mm)	82041220	18%	381.00	5
	DRXB/1-2/10/UG	1/2" Drive , Length: 10" (250 mm)	82041220	18%	621.00	5
	DRXB/3-4/4/MT	3/4" Drive , Length: 4" (100 mm)	82041220	18%	1,207.00	10
	DRXB/3-4/8/MT	3/4" Drive , Length: 8" (200 mm)	82041220	18%	1,600.00	5
	DRXB/0-1/8/MT	1" Drive , Length: 8" (200 mm)	82041220	18%	4,432.00	5
	DRXB/0-1/16/MT	1" Drive , Length: 16" (400 mm)	82041220	18%	6,244.00	2
	L HANDLE					
	LDH/1-2/UG	1/2" Drive, Length: 5" (125 mm)	82041220	18%	726.00	5

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	SPEEDER HANDLE					
	SPDH/1-2/UG	1/2" Drive	82041220	18%	1,755.00	5
	UNIVERSAL JOINTS					
	UVJ/1-4/UG	1/4" Drive	82041220	18%	392.00	10
	UVJ/3-8/UG	3/8" Drive	82041220	18%	453.00	5
	UVJ/1-2/UG	1/2" Drive	82041220	18%	700.00	5
	UVJ/3-4/UG	3/4" Drive	82041220	18%	3,217.00	5
	ADAPTORS					
	SADP/1-4F/3-8M/UG	1/4" (F) to 3/8" (M)	82041220	18%	113.00	5
	SADP/3-8F/1-4M/UG	3/8" (F) to 1/4" (M)	82041220	18%	128.00	5
	SADP/3-8F/1-2M/UG	3/8" (F) to 1/2" (M)	82041220	18%	194.00	5
	SADP/1-2F/3-8M/UG	1/2" (F) to 3/8" (M)	82041220	18%	223.00	5
	SADP/1-2F/3-4M/UG	1/2" (F) to 3/4" (M)	82041220	18%	448.00	5
	SADP/3-4F/1-2M/UG	3/4" (F) to 1/2" (M)	82041220	18%	578.00	5
	SADP/3-4F/0-1M/UG	3/4" (F) to 1" (M)	82041220	18%	1,384.00	2
	1/2" HEX SPARK PLUG SOCKETS					
	SKT/1-2/SP/16/UG	16 mm	82041220	18%	246.00	5
	SKT/1-2/SP/21/UG	21 mm	82041220	18%	314.00	5
	FLEXIBLE EXTENSION					
	FLEX/1-4/G	1/4" Drive	82055920	18%	293.00	10
	SPINNER HANDLE					
	DRSH/1-4/UG	1/4" Drive	82051000	18%	348.00	10

SOCKET SETS IN METAL CASES

	3/4" HEX SOCKET SET - 14 PCS						
	KIT/SKT/H/3-4/14/MT	Constituents 10 pcs : 3/4" Hex Sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm 1 pc : 3/4" Drive Round Head Ratchet Handle 2 pcs : 3/4" Extension Bar: 4" (100 mm), 8" (200 mm) 1 pc : 3/4" Sliding T Bar	82041220	18%	23,872.00	1	
	1" HEX SOCKET SET - 14 PCS						
	KIT/SKT/H/0-1/14/MT	Constituents 10 pcs : 1" Hex Sockets: 36, 41, 46, 50, 55, 60, 65, 70, 75, 80 mm 1 pc : 1" Ratchet Handle 2 pcs : 1" Extension: 8" (200 mm), 16" (400 mm) 1 pc : 1" Sliding T Bar	82041220	18%	73,255.00	1	

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
HAND SOCKET SETS IN BLOW MOULDED CASES						
	1/4" HEX SOCKET SET - 19 PCS					
	KIT/SKT/H/1-4/19/UG	Constituents 13 pcs : 1/4" Hex Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1 pc : 1/4" Ratchet Handle 2 pcs : 1/4" Extension Bar: 2" (50 mm), 4" (100 mm) 1 pc : 1/4" Universal Joint 1 pc : 1/4" Sliding T Bar 1 pc : 1/4" Spinner Handle	82041220	18%	5,147.00	10
	1/4" HEX SOCKET SET - 42 PCS					
	KIT/SKT/H/1-4/42/UG	Constituents 13 pcs : 1/4" Hex Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 6 pcs : 1/4" Hex Bit Socket: 3, 4, 5, 6, 7, 8 mm 3 pcs : 1/4" Slotted Bit Socket: 4, 5.5, 7 mm 3 pcs : 1/4" Philips Bit Socket: PH1, PH2, PH3 3 pcs : 1/4" Pozi Bit Socket: PZ1, PZ2, PZ3 7 pcs : 1/4" Torx Bit Socket: T8, T10, T15, T20, T25, T30, T40 2 pc : 1/4" Extension Bar: 2" (50 mm), 4" (100 mm) 1 pc : 1/4" Spinner Handle 1 pc : 1/4" Flexible Extension 1 pc : 1/4" Universal Joint 1 pc : 1/4" Sliding T Bar 1 pc : 1/4" Ratchet Handle	82041220	18%	7,011.00	10
	1/4" HEX SOCKET SET - 46 PCS					
	KIT/HSK/1-4/46	Constituents 13 pcs : Hex Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm 6 pcs : Hex Bit Socket: 3, 4, 5, 6, 7 & 8 mm 3 pcs : Slotted Bit Socket: 4, 5.5 & 7 mm 3 pcs : Philips Bit Socket: PH1, PH2 & PH3 3 pcs : Pozi Bit Socket: PZ1, PZ2 & PZ3 7 pcs : Torx Bit Socket: T8, T10, T15, T20, T25, T30 & T40 4 pcs : Hex Keys 1 pc : Ratchet Handle 2 pc : Extension Bar: 2" (50 mm), 4" (100 mm) 1 pc : Universal Joint 1 pc : Sliding T Bar 1 pc : Spinner Handle 1 pc : Flexible Extension	82041220	18%	4,238.00	5
	1/2" HEX SOCKET SET - 13 PCS					
	KIT/SKT/H/1-2/13/UG	Constituents 11 pcs : 1/2" Hex Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22 mm 1 pc : 1/2" Ratchet Handle 1 pc : 1/2" Extension Bar: 5" (125 mm)	82041220	18%	7,027.00	5

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	1/2" HEX SOCKET SET - 25 PCS					
	KIT/HSK/1-2/25	Constituents 18 pcs : Hex Sockets: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30 & 32 mm 2 pcs : Spark Plug Sockets: 5/8" (16 mm), 13/16" (21 mm) 2 pc : Extension Bar: 5" (125 mm), 10" (250 mm) 1 pc : Universal Joint 1 pc : Sliding T-Bar 1 pc : Ratchet Handle	82041220	18%	7,597.00	5
	1/2" HEX SOCKET SET - 27 PCS					
	KIT/SKT/H/1-2/27/UG	Constituents 22 pcs : 1/2" Hex Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 29, 30, 32 mm 2 pcs : 1/2" Extension Bar: 5" (125 mm), 10" (250 mm) 1 pc : 1/2" Universal Joint 1 pc : 1/2" Sliding T-Bar 1 pc : 1/2" Ratchet Handle	82041220	18%	11,419.00	5

RATCHET HANDLES

	SLIM LINE RATCHET HANDLES 30% slimmer & lighter than any regular ratchet handle; Quick-release button replaces sockets quickly with a push of a button					 
	RTD/SL/1-4/UG	1/4" Drive, Torque : 80 Nm	82041220	18%	2,095.00	5
	RTD/SL/3-8/UG	3/8" Drive, Torque : 270 Nm	82041220	18%	2,617.00	5
	RTD/SL/1-2/UG	1/2" Drive, Torque : 670 Nm	82041220	18%	3,284.00	5
	ROUND HEAD RATCHET HANDLE Classic round head design Spring loaded ball attaches onto sockets, preventing them from dropping					 
	RTD/RH/3-4/MT	3/4" Drive, Torque : 1412 Nm	82051000	18%	7,119.00	1
	PEAR HEAD RATCHET HANDLE Classic round head design Spring loaded ball attaches onto sockets, preventing them from dropping					 
	RTD/PH/3-4/MT	3/4" Drive, Torque : 2000 Nm	82051000	18%	6,874.00	1
	RTD/PH/0-1/MT	1" Drive, Torque : 2515 Nm	82051000	18%	13,731.00	1


	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
--	---------	--------------------	----------	----------	---------	------


LED WORKLIGHTS

	FLASHLIGHTS 3W COB RECHARGEABLE PEN LIGHT Super bright, dual function portable worklight & top torch 					
	LED/335	Lumen: 180 Power Source: 3.7V, 800 mAh Li-ion Battery Adjustable Pocket Clip	94051900	18%	1,678.00	1
	TELESCOPIC PICK-UP LIGHT High quality 0.5W flashlight with magnetic telescopic pick up 					
	LED/131	Lumen: 30 Power Source : 4 x 1.5LR44 Dry Cell Battery (Included) Durable aluminium body Flexible telescopic design to reach out into narrow holes & crevices Hands Free Use : Magnet at the rear end of light can be affixed onto any metallic surface leaving both hands free	94051900	18%	1,711.00	1
	SLIM POCKET FLASHLIGHT 3W COB LED handy pocket light 					
	LED/140	Lumen: 150 Power Source: 3 x AAA Alkaline Batteries	94051900	18%	845.00	1

FLUID HANDLING EQUIPMENT

	LEVER GREASE GUN - DUAL PISTON					
	G2R/B	Pressure : Upto 6,000 PSI Delivers : Upto 2.4 gm/stroke 150 mm bent steel extension and coupler	82055910	18%	1,474.00	16
	LEVER GREASE GUN - HEAVY DUTY 					
	V1R/HD/BL/B	Pressure : Upto 6,000 PSI Delivers : Upto 1 gm/stroke Finish : Powder Coated Complete with 150 mm rigid steel extension & 4 jaw coupler	82055910	18%	1,176.00	16
	LEVER GREASE GUN 					
	V1R/B	Pressure : Upto 6,000 PSI Delivers : Upto 1 gm/stroke Finish : Powder Coated Complete with 150 mm rigid steel extension & 4 jaw coupler	82055910	18%	1,129.00	16
	LEVER GREASE GUN - SUPER VALUE					
	G1R/B/T/EC/BL/G	Pressure : Upto 6,000 PSI Delivers : Upto 1 gm/stroke Complete with 150 mm rigid steel extension & 4 jaw coupler	82055910	18%	1,020.00	16


	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	MINI LEVER GREASE GUN					
	G14R/B	Pressure : Upto 6,000 PSI Delivers : Upto 0.55 gm/stroke Complete with 100 mm rigid steel extension & 4 jaw coupler	82055910	18%	892.00	30
	PISTOL GRIP GREASE GUN					
	G5R/B	Pressure : Upto 5,000 PSI Delivers : Upto 0.5 gm/stroke Complete with 100 mm rigid steel extension & 4 jaw coupler	82055910	18%	1,463.00	16
	MINI PISTOL GREASE GUN - DELUXE					
	G-16/B	Pressure : Upto 3,500 PSI Delivers : Upto 0.4 gm/stroke Complete with 100 mm rigid steel extension & 4 jaw coupler	82055910	18%	897.00	30
	MINI GREASE GUN - PUSH TYPE					
	G3P	Pressure : Upto 1,000 PSI Delivers : Upto 0.3 gm/stroke Compatible with most flush type fittings	82055910	18%	943.00	36
	QUICK LOCK GREASE COUPLER					
	HC/21/BSP	Conveniently engage & dis-engage under pressure 8,000 PSI	82055920	18%	2,840.00	50
	HYDRAULIC COUPLERS - STANDARD					
	HC/11/4/B	4 Jaw coupler - 1/8" BSPT 3,000 PSI	82055920	18%	100.00	500
	HC/11/4/BSP	4 Jaw coupler - 1/8" BSP 3,000 PSI	82055920	18%	100.00	100
	HC/11/4/B/ST2	4 Jaw coupler - 1/8" BSPT 3,000 PSI Set - Pack of 2	82055920	18%	200.00	12
	HC/11/4/B/ST5	4 Jaw coupler - 1/8" BSPT 3,000 PSI Set - Pack of 5	82055920	18%	489.00	12
	HC/11/4/B/ST10	4 Jaw coupler - 1/8" BSPT 3,000 PSI Set - Pack of 10	82055920	18%	930.00	12
	HYDRAULIC COUPLERS - PROFESSIONAL					
	HC/14/3/B	3 Jaw coupler - 1/8" BSPT 6,000 PSI	82055920	18%	149.00	100
	HC/14/4/B	4 Jaw coupler - 1/8" BSPT 6,000 PSI	82055920	18%	149.00	100
	HYDRAULIC COUPLERS - HEAVY DUTY					
	HC/12/3/B	3 Jaw coupler - 1/8" BSPT 10,000 PSI	82055920	18%	238.00	100
	HC/12/4/B	4 Jaw coupler - 1/8" BSPT 10,000 PSI	82055920	18%	238.00	100

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	BUTTON HEAD COUPLERS Zinc die cast construction with metal seal imparts increased resistance to wear For use with hand operated grease guns Threaded 1/8" BSPT (F)					
	PCN/1/B	Fixed push-on For Fitting Size : 16 mm (5/8")	82055920	18%	328.00	10
	PCN/3/B	Medium duty For Fitting Size : 16 mm (5/8")	82055920	18%	458.00	10
	PCN/2/B	Heavy duty For Fitting Size : 22 mm (7/8")	82055920	18%	755.00	10
	GREASE GUN HOSES					
	GHC-12/B	Length : 300 mm (12")	40094200	18%	214.00	30
	GHC-18/B	Length : 450 mm (18")	40094200	18%	255.00	20
	GHC-20/B	Length : 500 mm (20")	39173300	18%	297.00	10
	GREASE GUN STEEL EXTENSIONS					
	GSP/4/B	Straight, Length : 100 mm (4")	82055920	18%	55.00	100
	GBP/6/B	Bent, Length : 150 mm (6")	82055920	18%	71.00	100
	GREASE CARTRIDGE - 400 GMS					
	GRS/14C/CC/2G	Calcium Complex	87089900	18%	754.00	10
	GRS/14C/CS/2G	Polyurea	87089900	18%	970.00	10
	GRS/14C/PU/2G	Calcium sulfonate complex	87089900	18%	970.00	10
	GREASE CARTRIDGE - 85 GMS					
	GRS/3C/CC/2G	Calcium Complex	87089900	18%	214.00	10
	GRS/3C/CS/2G	Polyurea	87089900	18%	268.00	10
	GRS/3C/PU/2G	Calcium sulfonate complex	87089900	18%	268.00	10
	GRS/3C/CC/2G/ST3	3 Pc x Multi Purpose EP Grease (Red)	87089900	18%	648.00	10
	GRS/3C/CS/2G/ST3	3 Pc x Marine EP Grease (Blue)	87089900	18%	798.00	10
	GRS/3C/PU/2G/ST3	3 Pc x Heavy Duty EP Grease (Green)	87089900	18%	798.00	10
	GREASE FITTINGS					
	GFT/6/1	Type : Straight Hex Size : 7 mm Overall Length : 16 mm	87083000	18%	13.00	100
	GFT/6/1/45	Type : 45° Hex Size : 7 mm Overall Length : 21 mm	87083000	18%	29.00	50
	GFT/6/1/90	Type : 90° Hex Size : 9 mm Overall Length : 18 mm	87083000	18%	29.00	50
	GFT/8/1	Type : Straight Hex Size : 9 mm Overall Length : 16 mm	87083000	18%	17.00	100
	GFT/8/1/45	Type : 45° Hex Size : 9 mm Overall Length : 21 mm	87083000	18%	29.00	50
	GFT/8/1/90	Type : 90° Hex Size : 9 mm Overall Length : 18 mm	87083000	18%	29.00	50
	GFT/10/1	Type : Straight Hex Size : 11 mm Overall Length : 16 mm	87083000	18%	21.00	100
	GFT/10/1/45	Type : 45° Hex Size : 11 mm Overall Length : 21 mm	87083000	18%	33.00	50

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
 	GFT/10/1/90	Type : 90° Hex Size : 11 mm Overall Length : 18 mm	87083000	18%	33.00	50
	GFT/10/1.5	Type : Straight Hex Size : 11 mm Overall Length : 18 mm max.	87083000	18%	26.00	100
	GFT/10/1.5/45	Type : 45° Hex Size : 11 mm Overall Length : 21 mm max.	87083000	18%	33.00	50
	GFT/10/1.5/90	Type : 90° Hex Size : 11 mm Overall Length : 18 mm max.	87083000	18%	33.00	50
	GFT/R/1-8/28	Type : Straight Hex Size : 11 mm Overall Length : 16 mm	87083000	18%	20.00	100
	GFT/R/1-8/28L	Type : Straight Hex Size : 11 mm Overall Length : 20 mm	87083000	18%	26.00	50
	GFT/R/1-8/28/45	Type : 45° Hex Size : 11 mm Overall Length : 21 mm	87083000	18%	33.00	50
	GFT/R/1-8/28/45L	Type : 45° Hex Size : 11 mm Overall Length : 26.3 mm	84879000	18%	36.00	50
	GFT/R/1-8/28/90	Type : 90° Hex Size : 11 mm Overall Length : 18 mm	87083000	18%	33.00	50
	GFT/R/1-8/28/90L	Type : 90° Hex Size : 11 mm Overall Length : 21.4 mm	87083000	18%	36.00	50
	GFT/R/1-4/19	Type : Straight Hex Size : 9/16" Overall Length : 17.5 mm	87083000	18%	41.00	50
	GFT/R/1-4/19L	Type : Straight Hex Size : 15.24 mm Overall Length : 23.5 mm	87083000	18%	54.00	25
	GFT/R/1-4/19/45	Type : 45° Hex Size : 9/16" Overall Length : 22.5 mm	87083000	18%	55.00	50
	GFT/R/1-4/19/90	Type : 45° Hex Size : 9/16" Overall Length : 22.5 mm	87083000	18%	55.00	50
	BUCKET GREASER WITH QUICK CONNECT COUPLER Variable Handle Setting : pump can be set for high volume or high pressure dispensing Delivers : upto 9 gm/stroke on high volume setting, Pressure : upto 4,000 PSI on high pressure setting					
	VGP/6A/Q	Capacity : 6 kg without wheels	84131110	5%	6,349.00	1
	VGP/6/Q	Capacity : 6 kg with wheels	84131110	5%	7,009.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	BUCKET GREASERS Variable Handle Setting : pump can be set for high volume or high pressure dispensing Delivers : upto 9 gm/stroke on high volume setting, Pressure : upto 4,000 PSI on high pressure setting					  
	WITHOUT WHEELS					
	VGP/3A/RF	Capacity : 3 kg	84131110	5%	6,290.00	1
	VGP/6A	Capacity : 6 kg	84131110	5%	6,349.00	1
	VGP/10A	Capacity : 10 kg	84131110	5%	7,135.00	1
	WITH WHEELS					
	VGP/6	Capacity : 6 kg	84131110	5%	7,009.00	1
	VGP/10	Capacity : 10 kg	84131110	5%	8,159.00	1
	VGP/15	Capacity : 15 kg	84131110	5%	9,048.00	1
	VGP/20	Capacity : 20 kg	84131110	5%	10,734.00	1
	FOOT OPERATED GREASE PUMP High pressure portable grease pump for quick effortless greasing in everyday lubrication such as greasing of excavators & other earth moving equipment, agricultural equipment, automotive etc. RECOMMENDED USE : NLGI 1 & 2 greases					 
	FOP/10A	Bucket Capacity : 10 kg Delivers : upto 2 gm/stroke Pressure : upto 8,700 PSI	84131110	5%	12,320.00	1
	PORTABLE GREASE PUMP SYSTEM WITH DRUM Grease Output: Upto 1.10 kg/min (NLGI 2 Grease) Max Outlet Pressure: 7500 PSI (500 BAR)					 
	BGRP/15	15 kg built-in bucket	84671900	18%	32,788.00	1
	BGRP/30	30 kg built-in bucket	84671900	18%	39,846.00	1
	BGRP/50	50 kg built-in bucket	84671900	18%	42,503.00	1
OILING EQUIPMENT						
	LEVER ACTION BARREL PUMP For use with oil based fluids, Heating Oils, Motor Oils, Diesel & Kerosene					
	LBP/04/PT	Suitable for 50-210 litre drums Inlet : 3/4"	84131110	5%	1,753.00	10

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	EZEE FLOW PUMP Versatile pump, engineered for trouble free use on 50 litre plastic drums with pull out / Rieke® spout or 2" external threads 					
	EZF/8	Heavy duty steel suction tube, Nylon head incorporates nozzle holder. Complete with rigid steel discharge spout & 1.2 m discharge hose	84131110	5%	1,357.00	10
	ROTARY BARREL PUMP Rugged cast iron construction Recommended Use: Heating oils, Motor oils, Lubricating oils, Diesel, Kerosene etc.  					
	V10	Suitable for 50-210 litre drums 3 Pc. Rigid suction tube Inlet : 1" Outlet : 3/4"	84131110	5%	2,643.00	5
	OIL CANS Tin coated steel body in premium powder coated finish Steel pump with double ball check Complete with 150 mm (6") rigid steel spout 					
	V200R	Capacity : 200 ml	84671900	18%	297.00	72
	V300R	Capacity : 300 ml	84671900	18%	298.00	72
	V500R	Capacity : 500 ml	84671900	18%	348.00	72
	HYDRAULIC OIL HOSES					
	HH/1.5/1-2M/BSP	Threads: 1/2" BSP(M) x 1/2" BSP (M) Length : 1.5 Meter	39173300	18%	2,880.00	1
	HH/2.5/1-2M/BSP	Threads: 1/2" BSP(M) X 1/2" BSP (M) Length : 2.5 Meter	39173300	18%	4,255.00	1
	HH/1.5/1-2M/3-8M/BSP	Threads: 1/2" BSP (M) x 3/8" BSP (M) Length : 1.5 Meter	39173300	18%	5,961.00	1
	STACKABLE MEASURING JUGS Heavy-duty clear and transparent polypropylene body with exceptional optical clarity Can be shipped in nested form NEW!					
	JUG/1G	Capacity : 32 oz. (1000 ml)	39269080	18%	273.00	20
	JUG/2G	Capacity : 64 oz. (2000 ml)	39269080	18%	383.00	20
	FLEXIBLE SPOUT MEASURES High density translucent polyethylene construction Supplied complete with polyethylene flexible spout with cap and polypropylene lid					
	MSR/P/F-1	Capacity : 1 Ltr.	39269080	18%	311.00	40
	MSR/P/F-2	Capacity : 2 Ltr.	39269080	18%	407.00	25
	MSR/P/F-3	Capacity : 3 Ltr.	39269080	18%	576.00	20
	MSR/P/F-5	Capacity : 5 Ltr.	39269080	18%	729.00	15
	MSR/P/F/6	Capacity : 6 Ltr.	39269080	18%	889.00	12
	MSR/P/F-8	Capacity : 8 Ltr.	39269080	18%	1,127.00	12
	SMART FUNNELS					
	FNL/8	Capacity : 1.7 litres	39269080	18%	467.00	15
	FNL/9B	Capacity : 3 litres Complete with 2" Bung For direct attachment on drums	39269080	18%	630.00	15
	FUEL & OIL FUNNELS					
	FNL/11F	Heavy Duty Polypropylene construction Capacity : 4.7 Ltr.	39269080	18%	625.00	15

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	CONICAL FUNNELS					
	FNL/6	Polypropylene construction Capacity : 650 ml	39269080	18%	124.00	60
	FNL/7	Polypropylene construction Capacity : 1800 ml	39269080	18%	259.00	40
	PLASTIC FUNNEL SET-4 PCS.					
	FNL/4/ST	Polypropylene construction Set of 4 Capacity : 40, 120, 245 & 430 ml	39269080	18%	398.00	50
	FLEXIBLE FUNNEL NEW!					
	FNL/FX/37-17	Constructed from high grade PVC Dimension : 14-9/16" x 6-11/16"	39269080	18%	1,048.00	50
	AUTO-RETRACTABLE AIR/WATER HOSE REEL NEW!					
	HRE/AW/10M/3-8/B	Max. Pressure : 300 PSI Inlet Thread : 3/8" Hose Length : 10m	40094200	18%	13,998.00	1
	HRE/AW/15M/3-8/B	Max. Pressure : 300 PSI Inlet Thread : 3/8" Hose Length : 15m	40094200	18%	14,998.00	1
	AIR/WATER HOSE REEL Compact & Fully Enclosed Design protects the inner spring from water & dirt, compact size allows these to be used in confined spaces with ease. Equipped with slow rewinding mechanism ensuring no injury to the user. Hose reel can swivel 180° on the bracket and can be adjusted in the desired angle.					
	HRP/AW/15M/3-8/B	Max. Pressure : 217 PSI Hose ID : 3/8" Hose Length : 15m	40094200	18%	12,736.00	1
	WASTE OIL DRAIN NEW!					
	WOD/P/8G	Heavy-duty polyethylene blow moulded tank with polyethylene injection moulded bowl & aluminium tube Tank Capacity : 30 litres Bowl Capacity : 13 litres	84671900	18%	10,998.00	1

	CAT NR.	DESCRIPTION / SIZE	HSN CODE	GST RATE	MRP (₹)	MOQ.
	DRAIN PAN High Density Polyethylene Construction Chemical / Solvent Resistant Designed to ship in nested form					
	ODP/8	Capacity : 8 litres Colour : Black Recommended Use : Waste Oil	84671900	18%	1,153.00	15
	ODP/8/GN	Capacity : 8 litres Colour : Green Recommended Use : Antifreeze/DEF	84671900	18%	1,048.00	15
	ODP/16	Capacity : 16 litres Colour : Black Recommended Use : Waste Oil	84671900	18%	1,627.00	15
	ODP/16/GN	Capacity : 16 litres Colour : Green Recommended Use : Antifreeze/DEF	84671900	18%	1,767.00	15
	SIPHON PUMPS Recommended Use : Water-based fluids, Detergents, Waxes, Soaps, some mild acids					
	SPH/1	For 5-20 litre pails Max. Flow Rate : 6.5 LPM	84131110	5%	255.00	25
	SPH/2	For 210 litre drums Max. Flow Rate : 17.5 LPM	84131110	5%	1,103.00	25
	SPH/3	For 210 litre drums Max. Flow Rate : 21 LPM	84131110	5%	1,698.00	25
	SIPHON PUMP WITH BACK FLOW VALVE Recommended Use : Light oils, water based media, Diesel, Kerosene & Gasoline. NEW!					
	SPH/10/NR	Suitable for automotive maintenance, professional mechanic shops & garages	84131110	5%	498.00	10
	TWO-IN-ONE TRANSFER PUMP Polypropylene construction Recommended Use : Light oils and water based media NEW!					
	BLG/5Q	Suitable for use in garages, homes, cars, boats and can also be used with standard gallon containers	84671900	18%	1,543.00	10
DRUM HANDLING						
	DRUM WRENCH					
	DRW/AL-01	Aluminium die cast wrench designed to open 2" & 3/4" drum plugs	82041120	18%	1,050.00	10
AIR LINE ACCESSORIES						
	AIR BLOW GUN - PROFESSIONAL					
	ABG/10/1-4F/BSP	Comes with 4-1/2" steel tip	82055920	18%	909.00	10




GET IN TOUCH WITH US!

GROZ has an extensive sales team across India, to help you out with any query related to product, application or installation.

AREA	EMAIL ADDRESS
NORTH	
Bhiwadi	grozgurgaon6@groz-tools.com
Chandigarh	grozchandigarh@groz-tools.com
Delhi	grozdellhi@groz-tools.com
Faridabad	grozgurgaon1@groz-tools.com
Ghaziabad	grozghaziabad@groz-tools.com
Gurugram	grozgurgaon3@groz-tools.com
Lucknow	grozlucknow@groz-tools.com
Ludhiana	grozludhiana@groz-tools.com
Rudrapur	grozrudrapur@groz-tools.com
EAST	
Bhubaneshwar	grozorissa@groz-tools.com
Durgapur	grozdurgapur@groz-tools.com
Guwahati	grozguwahati@groz-tools.com
Jamshedpur	grozjamshedpur@groz-tools.com
Kolkata	grozkolkata@groz-tools.com
Patna	grozpatna@groz-tools.com
Rourkela	grozrourkela@groz-tools.com
WEST	
Ahmedabad	grozahmedabad@groz-tools.com
Indore	grozindore@groz-tools.com
Jaipur	grozjaipur@groz-tools.com
Mumbai	grozmumbai@groz-tools.com
Nagpur	groznagpur@groz-tools.com
Pune	grozpune1@groz-tools.com
Raipur	grozraipur@groz-tools.com
Rajkot	grozrajkot@groz-tools.com
Satna	grozsatna@groz-tools.com
Udaipur	grozudaipur@groz-tools.com
Vadodara	grozvadodara@groz-tools.com
SOUTH	
Bengaluru	grozbengaluru@groz-tools.com
Chennai	grozchennai@groz-tools.com
Coimbatore	grozcoimbatore@groz-tools.com
Hubli	grozhubli@groz-tools.com
Hyderabad	grozhyderabad@groz-tools.com
Kerala	grozkerala@groz-tools.com
Vizag	grozvizag@groz-tools.com
Vijayawada	grozvijayawada@groz-tools.com



CONNECT WITH US!



 **GROZ**

GROZ ENGINEERING TOOLS PVT. LTD.
GROZ NET INDUSTRIES
Village Kherki Daula, National Highway-8,
Gurugram-122004, Haryana, India

Tel +91.124.282.7700
Email (India) india@groz-tools.com
URL www.groz-tools.com

For circulation in INDIA & SAARC Nations
The GROZ name, GROZ logo and the  mark are
trademarks of Groz Engineering Tools Pvt. Ltd., India

TERMS & CONDITIONS FOR SUPPLY

- This price List is effective from April, 2026
- This price list supersedes all previous price lists
- These price are inclusive of all taxes and duties
- Prices are subject to change and those ruling on the date of dispatch would be applicable
- All duties are subject to Gurugram Jurisdiction (Haryana)